



## 11 mm PMI® EZ Bend™ Hudson Classic Professional Rope Pro | Pro Rope



This rope is for professionals who seek high abrasion resistance. The “time tested” burly sheath design of PMI®’s 11 mm Classic Static makes it a world favorite for professionals who must routinely subject their ropes to high abrasion applications. Our 11 mm version of this popular rope has a burly sheath design loved by many. No other 11 mm rope will outlast a PMI® Classic in side by side, real world applications except a PMI® Max-Wear rope. Add a [sewn eye](#) to create a permanent, sewn termination that is stronger than any knotted termination and nearly as strong as the rope itself. Also available in [9 mm](#), [10 mm](#), [12.5 mm](#), [16 mm](#).

---

### Key Features

- NFPA Certified
  - EZ-Bend construction
  - Available in many colors
  - 16 carrier construction
  - Torsionally balanced, continuous filament nylon
  - 80 g/m
  - CI 1801
  - Third party certified by UL (Underwriters Laboratories)
-

## Additional Information

**Shipping weight** | 0.1 lbs

**Dimensions** | 0.1 × 0.1 × 0.1 in

**Brand** | [PMI](#)

**Color** | Arc Yellow/Black, Black, Blue/Black, Orange/Black, Red/Black, Solid Blue, Solid Red, White/Black

**Compliant** | ANSI Z359.15, EN 1891-A, NFPA 2500 (1983) 2022 ED (T)

**Elongation at 1.35 kN (300 lbf)** | 1.0%

**Elongation at 2.7 kN (600 lbf)** | 2.4%

**Elongation at 4.45 kN (1000 lbf)** | 4.8%

**Elongation at 8.0 kN (1800 lbf)** | 8.8%

**Elongation at 10% MBS** | 3.4–4.4%

**Knotability** | 0.9

**Length** | 100 ft (30 meters), 1200 ft (366 meters), 150 ft (46 meters), 200 ft (61 meter), 300 ft (92 meters), 328 ft (100 meters), 600 ft (183 meters), 656 ft (200 meters)

**MBS** | 33.3 kN (7,480 lbf)

**Sheath Content** | 50.4%

**Shrinkage** | 3.2%

---

## Tags

[Arborist](#), [Cave Rescue](#), [Confined Space](#), [Fall protection](#), [Fire Rescue](#), [Made in USA](#), [Rope Access](#), [Rope Rescue](#), [Ropes Course](#), [Tower](#), [Wilderness Rescue](#)

---

## Product Code

RR110BL200E | Solid Blue | 656 ft (200 meters)  
RR110BB183E | Blue/Black | 600 ft (183 meters)  
RR110YB200E | Arc Yellow/Black | 656 ft (200 meters)  
RR110YB183E | Arc Yellow/Black | 600 ft (183 meters)  
RR110YB092E | Arc Yellow/Black | 300 ft (92 meters)  
RR110YB061E | Arc Yellow/Black | 200 ft (61 meter)  
RR110YB046E | Arc Yellow/Black | 150 ft (46 meters)  
RR110YB030E | Arc Yellow/Black | 100 ft (30 meters)  
RR110WB366E | White/Black | 1200 ft (366 meters)  
RR110WB200E | White/Black | 656 ft (200 meters)  
RR110WB183E | White/Black | 600 ft (183 meters)  
RR110WB092E | White/Black | 300 ft (92 meters)  
RR110WB061E | White/Black | 200 ft (61 meter)  
RR110WB046E | White/Black | 150 ft (46 meters)  
RR110WB030E | White/Black | 100 ft (30 meters)  
RR110RD200E | Solid Red | 656 ft (200 meters)

RR110RD183E | Solid Red | 600 ft (183 meters)  
RR110RD092E | Solid Red | 300 ft (92 meters)  
RR110RD061E | Solid Red | 200 ft (61 meter)  
RR110RD046E | Solid Red | 150 ft (46 meters)  
RR110RD030E | Solid Red | 100 ft (30 meters)  
RR110RB200E | Red/Black | 656 ft (200 meters)  
RR110RB030E | Red/Black | 100 ft (30 meters)  
RR110RB183E | Red/Black | 600 ft (183 meters)  
RR110RB092E | Red/Black | 300 ft (92 meters)  
RR110RB061E | Red/Black | 200 ft (61 meter)  
RR110RB046E | Red/Black | 150 ft (46 meters)  
RR110OB200E | Orange/Black | 656 ft (200 meters)  
RR110OB183E | Orange/Black | 600 ft (183 meters)  
RR110OB092E | Orange/Black | 300 ft (92 meters)  
RR110OB061E | Orange/Black | 200 ft (61 meter)  
RR110OB046E | Orange/Black | 150 ft (46 meters)  
RR110BB092E | Blue/Black | 300 ft (92 meters)  
RR110BB200E | Blue/Black | 656 ft (200 meters)  
RR110OB030E | Orange/Black | 100 ft (30 meters)  
RR110BL030E | Solid Blue | 100 ft (30 meters)  
RR110BL061E | Solid Blue | 200 ft (61 meter)  
RR110BL046E | Solid Blue | 150 ft (46 meters)  
RR110BL092E | Solid Blue | 300 ft (92 meters)  
RR110BL183E | Solid Blue | 600 ft (183 meters)  
RR110BK183E | Black | 600 ft (183 meters)  
RR110BK092E | Black | 300 ft (92 meters)  
RR110BK200E | Black | 656 ft (200 meters)  
RR110BK030E | Black | 100 ft (30 meters)  
RR110BK046E | Black | 150 ft (46 meters)  
RR110BK061E | Black | 200 ft (61 meter)  
RR110BB061E | Blue/Black | 200 ft (61 meter)  
RR110BB030E | Blue/Black | 100 ft (30 meters)  
RR110BB046E | Blue/Black | 150 ft (46 meters)

